

IN THE CLAIMS

1. (Canceled)

2. (Canceled)

3. (Canceled)

4. (Canceled)

5. (Canceled)

6. (Canceled)

7. (Currently Amended) A rack mount server comprising:

an enclosure having a front portion;~~said enclosure having a front portion with a user interface; and~~

a display device having a movable coupling attached within the enclosure, to
~~tiltably attached with said front portion by a movable coupling~~ attach an end of the
display device within the enclosure and enable viewing of the display device at multiple
angles relative to the front portion.

8. (Currently Amended) The rack mount server of claim 7 further ~~comprising a~~ wherein the movable coupling is indexed to allow incremental adjustment of the tiltably attached display.

9. (Currently Amended) The rack mount server of claim 7 wherein the display is device comprises an LCD.

10. (Currently Amended) The rack mount server of claim 7 wherein the movable coupling is comprises a ball and socket joint ~~securing the tiltably attached display to the enclosure.~~

11. (Currently Amended) The rack mount server of claim 7 wherein the movable coupling is comprises a single hinge ~~securing the tiltably attached display to the enclosure.~~

12. (Currently Amended) The rack mount server of claim 7 wherein the movable coupling is comprises at least two hinges ~~securing the tiltably attached display to the enclosure.~~

13. (Currently Amended) The rack mount server of claim 7 further comprising a securing mechanism to lock the display device at a position.

14. (Currently Amended) A rack mount appliance ~~with, comprising;~~
a movable coupling within the rack mount appliance;
a display device, attached to the movable coupling, to integrate an end of the
display device within the rack mount appliance and an integrated tiltably attach the
display device with the rack mount appliance attached display having at least two degrees
of freedom of position adjustment.

15. (Currently Amended) The rack mount appliance of claim 14 wherein the
tiltably attached end of the display device is movably coupled with integrated within the
appliance by a ball and socket joint.

16. (Currently Amended) The rack mount appliance of claim 14 wherein the
tiltably attached end of the display device is movably coupled with integrated within the
appliance by two orthogonal hinges.

17. (Currently Amended) The rack mount appliance of claim 14 wherein the
tiltably attached display is movably coupled with the rack mount appliance and the
movable coupling has a securing mechanism to lock the tiltably attached a display
position of the display device.

18. (Currently Amended) A rack mount server with an integrated display
display device having an end of the display device coupled within the rack mount server
to provide an adjustable viewing angle.

*AI
cancel*

19. (New) The rack mount appliance of claim 14, wherein the attached display device has at least two degrees of freedom of position adjustment.
